Application No.: 10/696,060 Docket No.: PE0649 US DIV1

Page 2

## Listing of Claims

Claim 1. (Canceled)

Claim 2. (Canceled)

Claim 3. (Canceled)

Claim 4. (Canceled)

Claim 5. (Canceled)

Claim 6. (Canceled)

Claim 7. (Canceled)

Claim 8. (Canceled)

Claim 9. (Canceled)

Claim 10. (Canceled)

Claim 11. (Canceled)

Ciamir II. (Cartonion)

Claim 12. (Canceled)

Claim 13. (Canceled)

Claim 14. (Canceled)

Claim 15. (Previously Presented) An organic electronic device comprising an emitting layer having an emission maximum in the range of 450 to 500 nm, wherein at least 20% by weight of the emitting layer comprises at least one compound having a Sixth Formula below:

ItTaTpT,T,

(Sixth Formula)

where

L' is selected from a phosphine and an isonitrile[[,]]; L" is selected from F, Cl, Br, and I; La and Lb have structure (1) below,

$$R_7$$
 $R_5$ 
 $R_1$ 
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_4$ 
 $R_5$ 
 $R_4$ 
 $R_5$ 
 $R_4$ 

wherein:

 $R_1$  through  $R_8$  are independently selected from alkyl, alkoxy, halogen, nitro, cyano, fluoro, fluorinated alkyl and fluorinated alkoxy groups, and at least one of  $R_1$  through  $R_8$  is selected from F,  $C_nF_{2n+1}$ ,  $OC_nF_{2n+1}$ , and  $OCF_2X$ , where n is an integer from 1 through 6 and X is H, Cl, or Br, and

A is C;

Application No.: 10/696,060 Docket No.: PE0649 US DIVI

Page 3

Wherein L" is Cl, and L' is selected from tris[3,5-

bis(trifluoromethyl)phenyl]phosphine; 2,6-dimethylphenyl isocyanide;

3-trifluoromethylphenyl isocyanide; and 4-toluenesulfonylmethyl isocyanide.

Claim 16. (Canceled)

Claim 17. (Canceled)

Claim 18. (Canceled)

Claim 19. (Previously Presented) An organic electronic device comprising a lightemitting layer and an electron transport layer, wherein the material in the electron transport layer is selected from

and

Application No.: 10/696,060 Docket No.: PE0649 US DIV1

Page 4

20. (Previously Presented) An organic electronic device comprising an emitting layer having an emission maximum in the range of 450 to 500 nm, wherein at least 20% by weight of the emitting layer comprises at least one compound having a Sixth Formula below:

IrLaLbL'L"

(Sixth Formula)

where

L' is an isonitrile; L" is selected from F, Cl, Br, and I; La and Lb have structure (I) below,

$$R_7$$
 $R_8$ 
 $R_5$ 
 $R_1$ 
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_3$ 
 $R_4$ 

wherein:

R<sub>1</sub> through R<sub>8</sub> are independently selected from alkyl, alkoxy, halogen, nitro, cyano, fluoro, fluorinated alkyl and fluorinated alkoxy groups, and at least one of R<sub>1</sub> through R<sub>8</sub> is selected from F, C<sub>n</sub>F<sub>2n+1</sub>, OC<sub>n</sub>F<sub>2n+1</sub>, and OCF<sub>2</sub>X, where n is an integer from 1 through 6 and X is H, Cl, or Br, and A is C;

wherein the isonitrile comprises an isonitrile substituent on an aromatic group.